

TOGNAZZONI S.R.L.

VIA R. LOMBARDI 18 - 46010 LEVATA DI CURTATONE (MANTUA)
TEL. 0376/290104 - FAX 0376/290205 - E-MAIL: info@tognazzoni.it

PRODUCT DATA SHEET

COPOLYMER SLEEVES WITH ELASTIC BAND

Article code

Description

980

COPOLYMER SLEEVES WITH ELASTIC BAND

THICKNESS about 50 MY

Packaging: 1 PAIR BAG

Country of origin: ITALY

Non-certified product

Product composition: ETHYLENE COPOLYMER

Performed tests and checks: QUALITY CONTROL



TECHNICAL DATA SHEET

FILM USED FOR THE PRODUCTION OF COPOLYMER SLEEVES WITH ELASTIC BANDS
THICKNESS 50 MY approx. - Packaging: N. 1 PAIR (**Art. Code 980**)

Breaking load L Breaking load T	ASTM D 882 ASTM D 882	N/mm ² N/mm ²	10,6 7,4
Elongation at break L Elongation at break T	ASTM D 882 ASTM D 882	% %	210 638
Tear resistance L Tear resistance T	ASTM D 1004 ASTM D 1004	N N	2,0 1,9
Dynamic COF	ASTM D 1894	Coeff.	0,10
Initial welding temperature	GIFLEX Specifications		Optimum tightness from 90/95 °C

The information and data contained herein are provided by us with the best of accuracy. However, this accuracy is not the subject of a guarantee and the data provided do not constitute or imply, in general terms, any guarantee or commitment by the Company. Any rights of patent holders are expressly reserved.

SAFETY DATA SHEET

FILM USED FOR THE PRODUCTION OF COPOLYMER SLEEVES WITH ELASTIC BANDS
THICKNESS 50 MY approx. - Packaging: N. 1 PAIR (**Art. Code 980**)

1)	CHEMICAL NATURE OF THE PRODUCT	Substance Ethylene copolymer, presence of antioxidant, slip and anti-blocking additives
2)	PHYSICAL PROPERTIES <ul style="list-style-type: none"> • PHYSICAL STATUS..... • TEMPERATURE CHARACTERISTICS..... • SOLUBILITY • DENSITY 	At 20° C: plastic film Colour: translucent orange Melting point: from 113° C. From the start of decomposition: approx. 300° C. In water at 20° C: not soluble 0.92 to 0.95 g/cm3
3)	TOXICOLOGICAL INFORMATION	These polymers can be considered as: <ul style="list-style-type: none"> - non-irritating to skin and eyes - practically not harmful if ingested Thermal decomposition products may be irritating to skin and mucous membranes.
4)	FIRST AID MEASURES	<ul style="list-style-type: none"> - In case of contact with hot product: treat as a thermal burn without chemical action (wash immediately and thoroughly with cold water). - Inhalation of thermal decomposition products: go to fresh air, consult a doctor.
5)	ENVIRONMENTAL PROTECTION	Do not dispose of into drains or the natural environment. Comply with current prefectural regulations and decrees.
6)	SPECIAL INDICATIONS	This document applies to the product IN ACCORDANCE with the specifications provided by TOGNAZZONI S.N.C. suppliers. The information contained in this technical data sheet is given in good faith and based on our latest knowledge of the named product at the date of issue. The user's attention is drawn to the possible risks involved when a product is used for purposes other than those for which it is intended. This sheet must not be used or reproduced except for the purposes of prevention and safety.